

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


1. (Original) Compounds comprising one or more identical or different groups of formula I

-(G)_g-

I

wherein

G is, in case of multiple occurrence independently of one another,



R³ to R¹⁰ are independently of each other F, Cl, Br, I, CN, NO₂, NCS, SF₅ or straight chain or branched alkyl having 1 to 30 C-atoms that is unsubstituted, mono- or poly-substituted by F, Cl, Br, I or CN, and in which one or more non-adjacent CH₂ groups are optionally replaced, in each case independently from one another, by -O-, -S-, -NH-, -NR⁰-, -SiR⁰R⁰⁰-, -CO-, -COO-, -OCO-, -OCO-O-, -S-CO-, -CO-S-, -CY¹=CY²- or -C≡C- in such a manner that O and/or S atoms are not linked directly to one another, or P-Sp,

R^0 and R^{00} are independently of each other H or alkyl with 1 to 12 C-atoms,

P is a polymerisable or reactive group,

Sp is a spacer group or a single bond,

s and t are independently of each other 0, 1, 2 or 3,

g is, in case of multiple occurrence independently of one another, 1, 2 or 3.

2. (Original) Compounds according to claim 1, selected of formula I1



wherein G and g have the meanings of formula I,

A is, in case of multiple occurrence independently of one another, -
 $CX^1=CX^2$ -, $-C\equiv C$ -, an aromatic or alicyclic ring or a group comprising two or more fused aromatic or alicyclic rings, wherein these rings optionally contain one or more hetero atoms selected from N, O and S, and are optionally mono- or polysubstituted by R^3 as defined in formula I,


X^1 and X^2 are independently of each other H, F, Cl or CN,

a is, in case of multiple occurrence independently of one another, 0 or 1,

z is an integer ≥ 1 ,

wherein in case of multiple occurrence the groups $[(G)_g-(A)_a]$ can be identical or different.

3. (Currently Amended) Compounds according to claim 1 ~~or~~ 2, selected of formula I1A



I1A


wherein G, g, A, a and z have the meanings of formula I1,

R^1 and R^2 have independently of each other one of the meanings of R^3 in formula I, or denote $B(OR')(OR'')$, $SnR^0R^{00}R^{000}$ or $SiR^0R^{00}R^{000}$,

R^{0-000} are independently of each other H, aryl or alkyl with 1 to 12 C-atoms,

R' and R'' are independently of each other H or alkyl with 1 to 12 C-atoms, or OR' and OR'' together with the boron atom may also form a cyclic group having 2 to 10 C atoms.

4. (Currently Amended) Compounds according to claim 1 ~~or~~ 2, selected of formula I2



wherein

G^1 and G^2 have independently of each other one of the meanings of G in formula I,

R^{11} and R^{12} have independently of each other one of the meanings of R^3 in formula I,

A^1 to A^3 have independently of each other one of the meanings of A in formula I1,

Z^1 to Z^4 are independently of each other -O-, -S-, -CO-, -COO-, -OCO-, -S-CO-, -CO-S-, -O-COO-, -CO-NR⁰-, -NR⁰-CO-, -OCH₂-, -CH₂O-, -SCH₂-, -CH₂S-, -CF₂O-, -OCF₂-, -CF₂S-, -SCF₂-, -CH₂CH₂-, -CF₂CH₂-, -CH₂CF₂-, -CF₂CF₂-, -CH=N-, -N=CH-, -N=N-, -CH=CR⁰-, -CY¹=CY²-, -C≡C-, -CH=CH-COO-, -OCO-CH=CH- or a single bond,

Y^1 and Y^2 are independently of each other H, F, Cl or CN,

R^0 and R^{00} have the meanings given in formula I,





m, n and q are independently of each other 0, 1, 2 or 3,


u and v are independently of each other 0, 1 or 2, with $u+v > 0$.

5. (Currently Amended) Compounds according to claim 3 ~~or 4~~, characterized in that z is an integer from 2 to 5000.
6. (Currently Amended) Compounds according to claim 3 ~~or 4~~, characterized in that z is an integer from 1 to 15.
7. (Currently Amended) Compounds according to ~~at least one of claims 3 to 6~~ Claim 3, characterized in that one or both of R^1 and R^2 denote P-Sp-.
8. (Currently Amended) Compounds according to ~~at least one of claims 1 to 7~~ Claim 1, characterized in that R^3 and R^4 are selected from F, Cl, CN, alkyl, oxaalkyl, alkoxy, alkylcarbonyl or alkoxy carbonyl with 1 to 15 C-atoms or alkenyl, alkenyloxy or alkynyl with 2 to 15 C-atoms.
9. (Currently Amended) Compounds according to ~~at least one of claims 1 to 8~~ Claim 1, characterized in that R^{5-10} are selected from F, Cl, CN, C_1 - C_{20} -alkyl that is optionally substituted with one or more fluorine atoms, C_1 - C_{20} -alkenyl, C_1 - C_{20} -alkynyl, C_1 - C_{20} -alkoxy, C_1 - C_{20} -thioalkyl, C_1 - C_{20} -silyl, C_1 - C_{20} -ester, C_1 - C_{20} -amino, C_1 - C_{20} -fluoroalkyl, $(CH_2CH_2O)_m$ with m being an integer from 1 to 6.
10. (Currently Amended) Compounds according to ~~at least one of claims 2 to 9~~ Claim 2, characterized in that A and A^{1-3} are selected from furane-2,5-diyl, thiophene-2,5-diyl, thienothiophene-2,5-diyl, dithienothiophene-2,6-diyl, pyrrol-2,5-diyl, 1,4-phenylene, azulene-2,6-diyl, pyridine-2,5-diyl, pyrimidine-2,5-diyl, naphthalene-2,6-diyl, 1,2,3,4-tetrahydro-naphthalene-2,6-diyl, indane-2,5-diyl, or 1,4-cyclohexylene wherein one or two non-adjacent CH_2 groups


are optionally replaced by O and/or S, wherein these groups are unsubstituted, mono- or polysubstituted by R^3 as defined in claim 1.

11. (Currently Amended) Compounds according to ~~at least one of claims 1 to 10~~
Claim 1, characterized in that P is a vinyl ether, propenyl ether or oxetane group.
12. (Currently Amended) Compounds according to ~~at least one of claims 1 to 11~~
Claim 1, characterized in that it they comprise one or more repeating units selected from the following formulae







Ie




If




Ig






Ih



Ii



Ik









wherein







R and R' have independently of each other one of the meanings of R¹ in formula II,


R'' and R''' have independently of each other one of the meanings of R⁵ in formula I,

and the aromatic rings are optionally substituted with 1, 2 or 3 groups R³ as defined in formula I.

13. (Currently Amended) Compounds according to ~~at least one of claims 1 to 12~~
Claim 12, selected from the following formulae







wherein P and Sp have the meanings given in formula I, R, R', R'' and R''' have the meanings given in claim 12, and L¹ and L² are independently of each other H or F, and the aromatic rings are optionally substituted with 1, 2 or 3 groups R³ as defined in formula I.

14. (Currently Amended) LC medium comprising at least one compound according to ~~at least one of claims 1 to 13~~ Claim 1.
15. (Currently Amended) Polymerisable LC material comprising at least one compound according to ~~at least one of claims 1 to 12~~ Claim 1 and optionally at least one further compound, wherein at least one of said compounds is polymerisable.
16. (Currently Amended) Polymer obtained by polymerising a compound according to ~~at least one of claims 1 to 13~~ Claim 1 or a polymerisable LC material ~~according to claim 15~~.
17. (Currently Amended) Anisotropic polymer obtained by polymerising a compound according to ~~at least one of claims 1 to 13~~ Claim 1 or a polymerisable LC material ~~according to claim 15~~ comprising such a compound in its oriented state in form of a film.
18. (Currently Amended) Semiconductor or charge transport material comprising at least one compound, polymerisable LC material or polymer according to ~~at least one of claims 1 to 17~~ Claim 1.
19. (Currently Amended) Light-emissive material comprising at least one compound, polymerisable LC material or polymer according to ~~at least one of~~

~~claims 1 to 17~~ Claim 1.

20. (Currently Amended) Use of a compound, polymerisable LC material, polymer, semiconductor or light-emitting material according to ~~at least one of claims 1 to 19~~ Claim 1 in electrooptical displays, LCDs, eLCDs, optical films, polarisers, compensators, beam splitters, reflective films, alignment layers, colour filters, holographic elements, hot stamping foils, coloured images, decorative or security markings e.g. for consumer objects or documents of value, LC pigments, adhesives, synthetic resins with anisotropic mechanical properties, cosmetics, pharmaceuticals, diagnostics, nonlinear optics, optical information storage, as chiral dopants, in electronic devices like for example OFETs as components of integrated circuits (IC), as thin film transistors (TFT) in flat panel display applications or for Radio Frequency Identification (RFID) tags, in semiconducting or light-emitting components of organic light emitting diode (OLED) applications, electroluminescent displays or backlights of LCDs, for photovoltaic or sensor devices, as electrode materials in batteries, as photoconductors, or for electrophotographic applications or electrophotographic recording or as alignment layer in LCD or OLED devices.
21. (Currently Amended) Optical, electrooptical or electronic device, LCD, eLCD, OLED, OFET, IC, TFT or alignment layer characterized in that it comprises a compound, polymerisable LC material, polymer, semiconductor or light-emitting material according to ~~at least one of claims 1 to 19~~ Claim 1.
22. (Currently Amended) TFT or TFT array for flat panel displays, RFID tag, electroluminescent display or backlight comprising a compound, polymerisable LC material, polymer, semiconductor or light-emitting material or device according to ~~at least one of claims 1 to 19 or 21~~ Claim 1.
23. (Currently Amended) Security marking or device comprising a compound, polymerisable LC material, polymer, semiconductor or light-emitting material or device according to ~~at least one of claims 1 to 19, 21 or 22~~ Claim 1.